

TE-C6

"TE-C6" 6000 DIVISIONS SINGLE CELL STAINLESS STEEL PLATFORMS,
WITH ALUMINIUM LOAD CELL



Small and medium capacity electronic platforms, having a precise and sturdy structure, are particularly suitable for all types of industrial and commercial applications in which it's necessary to work in environments with strict hygiene requirements. 6000e legal for trade version.

Working in cooperation with:

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications

MAIN FEATURES


- Functions with a C6 6000e approved "single point" ALUMINIUM load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards.
- Structure with tubulars, mechanics, trinkets and satined steel loading surface in AISI304 stainless steel.
- Fitted with adjustable STAINLESS steel feet with plastic resting surface and level.
- Up to 15 Vdc power supply.
- Shielded 3m cable with connectors, for connection to the indicator.

OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell.
- DCATEXMECH: Declaration of conformity of the whole system composed of PLATFORM + JUNCTION BOX + LOAD CELLS (only if the platform is ordered without the weight indicator; otherwise, refer to the certifications available for the indicator to which it will be connected).

SUPPORT BRACKETS AND COLUMNS


- Example of use with bracket, attached column or floor column.



AVAILABLE UPON PRICE ESTIMATE

- Special sizes and capacities

DETAIL 1



"TE-C6" series platforms: dimensions (see the version table)

VERSIONS

Versioni disponibili

Codice	l x w x h (mm)	Max (kg)	d (g)	M (g)*	M 2R (g)*	d HR (g)*
TSE3C6	230x330x93	3	0,5	0,5	--	0,1
TSE6C6	230x330x93	6	1	1	0,5/1	0,2
TSE12C6	230x330x93	12	2	2	1/2	0,5
TTE6C6	330x330x93	6	1	1	0,5/1	0,2
TTE12C6	330x330x93	12	2	2	1/2	0,5
TTE30C6	330x330x93	30	5	5	2/5	1
TQE30C6	400x400x110	30	5	5	2/5	1

(*) Queste divisioni sono ottenibili solo con le relative opzioni



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE