

TE_I NOX

TE SERIES SINGLE CELL IP67 STAINLESS STEEL PLATFORMS



Small and medium capacity electronic platforms, having a precise and sturdy structure, are particularly suitable for all types of industrial and commercial applications in which it's necessary to work in environments with strict hygiene requirements.

Working in cooperation with:

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications

MAIN FEATURES


- Functions with an approved “single point” STAINLESS STEEL load cell according to OIML R60 standards with protection against dust and water splashes according to IP 67 standards.
- Structure with tubulars, mechanics, trinkets and satined steel loading surface in AISI304 stainless steel.
- Fitted with adjustable STAINLESS steel feet with plastic resting surface and level.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell.
- DCATEXMECH: Declaration of conformity of the whole system composed of PLATFORM + JUNCTION BOX + LOAD CELLS (only if the platform is ordered without the weight indicator; otherwise, refer to the certifications available for the indicator to which it will be connected).

SUPPORT BRACKETS AND COLUMNS


- Example of use with bracket, attached column or floor column.



AVAILABLE UPON PRICE ESTIMATE

- Special sizes and capacities

DETAIL 1



"TE" series platforms: dimensions (see the version table)

VERSIONS

Versioni disponibili

Codice	l x w x h (mm)	Max (kg)	d (g)	M (g)*	M 2R (g)*	d HR (g)*
TSE3	230x330x90	3	0,5	1	--	0,2
TSE6	230x330x90	6	1	2	1-2	0,5
TSE15	230x330x90	15	2	5	2-5	1
TTE6	330x330x90	6	1	2	1-2	0,5
TTE15	330x330x90	15	2	5	2-5	1
TTE30	330x330x90	30	5	10	5-10	2
TQE15	400x400x115	15	2	5	--	1
TQE30	400x400x115	30	5	10	5-10	2
TQE60	400x400x115	60	10	20	10-20	5
TQE150	400x400x115	150	20	50	20-50	10
TME30	400x500x115	30	5	10	5-10	2
TME60	400x500x115	60	10	20	10-20	5
TME150	400x500x115	150	20	50	20-50	10
TCE60	500x500x115	60	10	20	10-20	5
TCE150	500x500x115	150	20	50	20-50	10
TXE60	600x600x133	60	10	20	10-20	5
TXE150	600x600x133	150	20	50	20-50	10
TXE300	600x600x133	300	50	100	50-100	20

(*) Queste divisioni sono ottenibili solo con le relative opzioni



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE